

	Application No.	Applicant(s)
Notice of Allowability		
	10/809,803 Examiner	MATSUMOTO, KENGO Art Unit
	LABITITIES	Artonic
	Suezu Ellis	2878
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIG	(OR REMAINS) CLOSED or other appropriate comme GHTS. This application is	in this application. If not included nunication will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed January 27, 2006</u> .		
2. The allowed claim(s) is/are <u>1 and 4-11</u> .		
 3. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		or (f).
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of I	nformal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview	Summary (PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0		./Mail Date s Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner	s Statement of Reasons for Allowance
of Biological Material	9.	 ·

RESPONSE TO AMENDMENT

Drawings

Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

Claims 1 and 4-11 are allowed.

The following is an examiner's statement of reasons for allowance:

With respect to claim 1, prior art fails to teach or reasonably suggest a light receiving circuit capable of compensating a temperature dependence of a light receiving device comprising a coupling resistor for coupling an output of a differential amplifier to an input of a bias supply circuit wherein the differential amplifier operates in an inverting mode to adjust a division ratio of a division divider as a linear function to termperatures so as to compensate a temperature dependence of the light-receiving device, in addition to the other limitations of the claim.

Claims not specifically addressed are allowable due to their dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Kimura (US 6,851,849) discloses a light receiving circuit having a bias supply circuit, a voltage divider, an amplifier with a resistor connected between an inverting input and an output of the amplifier. Kimura fails to disclose a coupling resistor that couples the output of the differential amplifier to the input of the bias supply circuit and the differential amplifier adjusting the division ratio of the voltage divider as a linear function of temperature.

Telephone/Fax Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suezu Ellis whose telephone number is (571) 272-2868. The examiner can normally be reached on 8:30am-5pm (Monday-Friday).

Art Unit: 2878

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephone B. Allen
Primary Examiner